# INDEX TO AUTHORS.


A

**Auer, John.** Experimental generalized analgesia after exposure to some war gases, 97

B

**Blumgart, Hermann L.** See DRINKER, PEABODY, and BLUMGART, 77

**Boots, Ralph H.** See SWIFT, BOOTS, and MILLER, 599

**Broun, G. O.** See HAESSLER, ROUS, and BROUN, 533

**Brown, J. Howard.** Modification of an improved anaerobe jar, 467

—. The vaseline tube and syringe method of micro gas analysis of bacterial cultures, 667

**Brown, Wade H.** See PEARCE and BROWN, 39

C

**Carrel, Alexis,** and **Ebeling, Albert H.** Heat and growth-inhibiting action of serum, 647

— and —. Heterogenic serum, age, and multiplication of fibroblasts, 17

**Chanutin, Alfred.** See KRUMBHAAR and CHANUTIN, 847

**Chesney, Alan M.** The use of phenol red and brom-cresol purple as indicators in the bacteriological examination of stools, 181

**Clark, Harry.** The measurement of intravenous temperatures, 385

**Cutler, Elliott C.** The relation of the hypophysis to antibody production, 243

D

**D'Aunoy, Rigney.** See DUVAL and D'AUNOY, 257

**De Kruif, Paul H.** Mutation of the bacillus of rabbit septicemia, 561

—. Virulence and mutation of the bacillus of rabbit septicemia, 621

**Dougherty, Katharine M.** See FELTON and DOUGHERTY, 761

**Drinker, Cecil K., Peabody, Francis W.,** and **Blumgart, Hermann L.** The effect of pulmonary congestion on the ventilation of the lungs, 77

**Duval, Charles W.,** and **D'Aunoy, Rigney.** Studies upon experimental measles. I. The effects of the virus of measles upon the guinea pig, 257

E

**Ebeling, Albert H.** Cicatrization of wounds. XIII. The temperature coefficient, 657

—. A ten year old strain of fibroblasts, 755

—. See CARREL and EBELING, 17, 647

F

**Fabyan, Marshal.** See TYZZER and FABYAN, 791

**Felton, Lloyd D.,** and **Dougherty, Katharine M.** Study of the action of four aromatic cinchona derivatives on pneumococcus. A comparison with optochin, 761

**Fenn, Wallace O.** Hemolysis of erythrocytes in contact with glass, 271

**Fischer, Albert.** Action of antigen on fibroblasts *in vitro*, 661

—. A three months old strain of epithelium, 367

**Foot, Nathan Chandler.** Pathology of the dermatitis caused by *Megalopyge opercularis*, a Texan caterpillar, 737

G

**Gates, Frederick L.** Collodion sacs for aerobic and anaerobic bacterial cultivation, 635

—. Studies on agglutination with the aid of the centrifuge. The influence of temperature on absorption and flocculation, 63

—. See OLITSKY and GATES 1, 553, 813

**Gratia, André.** The Twort-d'Hérelle phenomenon. II. Lysis and microbic variation, 287

H

**Haessler, Herbert.** The effect of flood diuresis on hemoglobinuria, 515

—, **Rous, Peyton,** and **Broun, G. O.** The renal elimination of bilirubin, 533

**Hammett, Frederick S.,** and **Nowrey, Joseph E., Jr.** The erythropoietic action of germanium dioxide. II. The source of the erythrocythemia produced by germanium dioxide in the albino rat, 507

**Hammett, Federick S., Nowrey, Joseph E., Jr.,** and **Müller, John H.** The erythropoietic action of germanium dioxide, 173

**Howe, Paul E.** See ORCUTT and HOWE, 409

J

**Jones, F. S.** An organism resembling *Bacillus actinoides* isolated from pneumonic lungs of white rats, 361

K

**Kligler, I. J.,** and **Robertson, O. H.** The cultivation and biological characteristics of *Spirochæta obermeieri* (*recurrentis*), 303

**Krumbhaar, Edward B.,** and **Chanutin, Alfred.** Studies on experimental plethora in dogs and rabbits, 847

L

**Larimore, Louise C.** See MCMASTER, ROUS, and LARIMORE, 521

**Lewis, Margaret Reed.** The importance of dextrose in the medium of tissue cultures, 317

**Little, Ralph B.,** and **Orcutt, Marion L.** The transmission of agglutinins of *Bacillus abortus* from cow to calf in the colostrum, 161

**Liu, J. Heng, Sturm, Ernest,** and **Murphy, James B.** Studies on x-ray effects. XI. The fate of cancer grafts implanted in subcutaneous tissue previously exposed to x-rays, 487

—. See MURPHY, LIU, and STURM, 373

**Lord, Frederick T.,** and **Nye, Robert N.** Studies on the pneumococcus. I. Acid death-point of the pneumococcus, 685

**Lord, Frederick T.,** and **Nye, Robert N.** Studies on the pneumococcus. II. Dissolution of pneumococci at varying hydrogen ion concentrations. Effect of temperature, previous killing of the organisms, and fresh human serum on the phenomenon. Behavior of other organisms, 689

— and —. III. Dissolution of pneumococci in pneumonic cellular material at varying hydrogen ion concentrations. Resistance of certain other organisms to dissolution, 699

— and —. IV. Effect of bile at varying hydrogen ion concentrations on dissolution of pneumococci, 703

M

**McCann, G. F.** See PAPPENHEIMER, MCCANN, and ZUCKER, 421, 447

**McMaster, Philip D.** Do species lacking a gall bladder possess its functional equivalent? 127

—, **Rous, Peyton,** and **Larimore, Louise C.** Significance of the hemosiderosis of pernicious anemia, 521

**McQuarrie, Irvine,** and **Whipple, G. H.** A study of renal function in Roentgen ray intoxication. Resistance of renal epithelium to direct radiation, 225

**Miller, C. Philip, Jr.** See SWIFT, BOOTS, and MILLER, 599

**Müller, John H.** See HAMMETT, NOWREY, and MÜLLER, 173

**Murphy, James B., Liu, J. Heng,** and **Sturm, Ernest.** Studies on x-ray effects. IX. The action of serum from x-rayed animals on lymphoid cells *in vitro*, 373

—. See LIU, STURM, and MURPHY, 487

**Murphy, James B.** See NAKAHARA and MURPHY, 475

N

**Nakahara, Waro.** Studies on lymphoid activity. VI. Immunity to transplanted cancer induced by injection of olive oil, 493

— and **Murphy, James B.** Studies on x-ray effects. X. The biological action of small doses of low frequency x-rays, 475

**Noguchi, Hideyo.** Venereal spirochetosis in American rabbits, 391

**du Noüy, P. Lecomte.** Spontaneous decrease of the surface tension of serum. I, 575

—. Surface tension of serum. II. Action of time on the surface tension of serum solutions, 707

**Nowrey, Joseph E., Jr.** See HAMMETT and NOWREY, 507

—. See HAMMETT, NOWREY, and MÜLLER, 173

**Nye, Robert N.** Studies on the pneumonic exudate. V. The relation of pneumonic lung protease activity to hydrogen ion concentration, and a consideration of the origin of the enzyme, 153

—. See LORD and NYE, 685, 689, 699, 703

O

**Olitsky, Peter K.** Experimental studies on the etiology of typhus fever. II. Survival of the virus in aerobic and anaerobic culture media, 115

—. III. Filtration experiments, 121

**Olitsky, Peter K.** IV. Immunizing and toxic agents found occasionally in filtrates of typhus-infected tissues, 469
— and **Gates, Frederick L.** Experimental studies of the nasopharyngeal secretions from influenza patients. VI. Immunity reactions, 1
— and —. VII. Serological reactions, 553
— and —. VIII. Further observations on the cultural and morphological characters of *Bacterium pneumosintes*, 813
**Orcutt, Marion L.,** and **Howe, Paul E.** Hemolytic action of a staphylococcus due to a fat-splitting enzyme, 409
—. See LITTLE and ORCUTT, 161

P

**Pappenheimer, A. M., McCann G. F.,** and **Zucker, T. F.** Experimental rickets in rats. IV. The effect of varying the inorganic constituents of a rickets-producing diet, 421
—, —, and —. V. The effect of varying the organic constituents of a rickets-producing diet, 447
**Peabody, Francis W.** See DRINKER, PEABODY, and BLUMGART, 77
**Pearce, Louise,** and **Brown, Wade H.** A study of the relation of *Treponema pallidum* to lymphoid tissues in experimental syphilis, 39

R

**Robertson, Oswald H.,** and **Rous, Peyton.** Source of the antibodies developing after repeated transfusion, 141
—. See KLIGLER and ROBERTSON, 303
**Rous, Peyton.** See HAESSLER, ROUS, and BROUN, 533
—. See MCMASTER, ROUS, and LARIMORE, 521
—. See ROBERTSON and ROUS, 141

S

**Stadie, William C.** Construction of an oxygen chamber for the treatment of pneumonia, 323
—. The treatment of anoxemia in pneumonia in an oxygen chamber, 337
**Stevens, Franklin A.,** and **West, Randolph.** The peptase, lipase, and invertase of hemolytic streptococcus, 823
**Stillman, Ernest G.** The frequency of *Bacillus influenzæ* in the nose and throat in acute lobar pneumonia, 7
**Sturm, Ernest.** See LIU, STURM, and MURPHY, 487
—. See MURPHY, LIU, and STURM, 373
**Swift, Homer F., Boots, Ralph H.,** and **Miller, C. Philip, Jr.** A cutaneous nematode infection in monkeys, 599

T

**Tyzzer, Ernest Edward,** and **Fabyan, Marshal.** A further inquiry into the source of the virus in blackhead of turkeys, together with observations on the administration of ipecac and of sulfur, 791

W

**Warren, S. L.,** and **Whipple, G. H.** Roentgen ray intoxication. I. Unit dose over thorax negative —over abdomen lethal. Epithelium of small intestine sensitive to x-rays, 187

**Warren, S. L.,** and **Whipple, G. H.** II. A study of the sequence of clinical, anatomical, and histological changes following a unit dose of x-rays, 203
— and —. III. Speed of autolysis of various body tissues after lethal x-ray exposures. The remarkable disturbance in the epithelium of the small intestine, 213
**West, Randolph.** See STEVENS and WEST, 823
**Whipple, G. H.** See MCQUARRIE and WHIPPLE, 225
—. See WARREN and WHIPPLE, 187, 203, 213

Z

**Zucker, T. F.** See PAPPENHEIMER, MCCANN, and ZUCKER, 421, 447

# INDEX TO SUBJECTS.


## A

**Abdomen:**
Roentgen radiation (WARREN and WHIPPLE) 187
**Abortus:**
*Bacillus*, transmission of agglutinins in colostrum (LITTLE and ORCUTT) 161
**Absorption:**
Temperature, influence of, on (GATES) 63
**Acid:**
Pneumococcus, acid death-point (LORD and NYE) 685
**Actinoides:**
*Bacillus*, organism from pneumonic lung resembling (JONES) 361
**Aerobe:**
Cultivation in collodion sacs (GATES) 635
Culture media, survival of typhus virus (OLITSKY) 115
**Age:**
Fibroblast multiplication, relation of heterogenic serum, age, and (CARREL and EBELING) 17
**Agglutination:**
(GATES) 63
Temperature, influence of, on (GATES) 63
**Agglutinin:**
*Bacillus abortus*, transmission in colostrum (LITTLE and ORCUTT) 161
**Anaerobe:**
Cultivation in collodion sacs (GATES) 635
**Anaerobe**—*Continued:*
Culture media, survival of typhus virus (OLITSKY) 115
Jar (BROWN) 467
**Analgesia:**
War gas (AUER) 97
**Anatomy:**
Roentgen rays, unit dose, anatomical changes after (WARREN and WHIPPLE) 203
**Anemia:**
Pernicious, hemosiderosis (MCMASTER, ROUS, and LARIMORE) 521
**Anoxemia:**
Pneumonia, treatment in oxygen chamber (STADIE) 337
**Antibody:**
Hypophysis, relation to antibody production (CUTLER) 243
Transfusion (ROBERTSON and ROUS) 141
**Antigen:**
Fibroblasts *in vitro*, action on, of (FISCHER) 661
**Autolysis:**
Tissue, after lethal x-rays (WARREN and WHIPPLE) 213

## B

**Bacillus:**
*abortus*, transmission of agglutinins in colostrum (LITTLE and ORCUTT) 161
*actinoides*, organism from pneumonic lung resembling (JONES) 361

**Bacillus**—*Continued:*
*influenzæ* in nose and throat in acute lobar pneumonia (STILLMAN) 7
Septicemia, rabbit, mutation (DE KRUIF) 561
—, —, — and virulence (DE KRUIF) 621
**Bacteriology:**
Stool examination with brom-cresol purple (CHESNEY) 181
— — — phenol red (CHESNEY) 181
**Bacterium:**
Aerobe, collodion sacs for cultivation (GATES) 635
Anaerobe, collodion sacs for cultivation (GATES) 635
Cultures, vaseline tube and syringe method of micro gas analysis (BROWN) 667
*pneumosintes*, cultural characters (OLITSKY and GATES) 813
—, morphology (OLITSKY and GATES) 813
**Bile:**
Pneumococcus dissolution, effect of bile at varying hydrogen ion concentrations (LORD and NYE) 703
**Bilirubin:**
Renal elimination (HAESSLER, ROUS, and BROUN) 533
**Biology:**
Roentgen rays, biological action of small doses of low frequency (NAKAHARA and MURPHY) 475
*Spirochæta obermeieri* (KLIGLER and ROBERTSON) 303
— *recurrentis* (KLIGLER and ROBERTSON) 303
**Blackhead:**
Turkey, source of virus (TYZZER and FABYAN) 791
**Body:**
Tissue autolysis after lethal x-rays (WARREN and WHIPPLE) 213
**Brom-cresol purple:**
Stool, bacteriological examination (CHESNEY) 181

C

**Cancer:**
*See* Carcinoma.
**Carcinoma:**
Graft implanted in subcutaneous tissue previously x-rayed (LIU, STURM, and MURPHY) 487
Immunity to transplanted, induced by olive oil injection (NAKAHARA) 493
**Caterpillar:**
Dermatitis, pathology (FOOT) 737
**Cell:**
Lymphoid, action of serum from x-rayed animals *in vitro* (MURPHY, LIU, and STURM) 373
Pneumonic cellular material at varying hydrogen ion concentrations, dissolution of pneumococci in (LORD and NYE) 699
**Cicatrization:**
Wound (EBELING) 657
**Cinchona:**
Aromatic derivatives, action on pneumococcus (FELTON and DOUGHERTY) 761
**Clinical:**
Roentgen rays, unit dose, clinical changes after (WARREN and WHIPPLE) 203
**Collodion:**
Sacs for aerobic bacterial cultivation (GATES) 635
— — anaerobic bacterial cultivation (GATES) 635

**Colostrum:**
*Bacillus abortus* agglutinins transmitted in (LITTLE and ORCUTT) 161
**Congestion:**
Pulmonary, effect on ventilation of lungs (DRINKER, PEABODY, and BLUMGART) 77
**Cultivation:**
Aerobe, collodion sacs for (GATES) 635
Anaerobe, collodion sacs for (GATES) 635
*Spirochæta obermeieri* (KLIGLER and ROBERTSON) 303
— *recurrentis* (KLIGLER and ROBERTSON) 303
**Culture:**
Aerobic media, survival of typhus virus (OLITSKY) 115
Anaerobic media, survival of typhus virus (OLITSKY) 115
Bacterial, vaseline tube and syringe method of micro gas analysis (BROWN) 667
*Bacterium pneumosintes*, cultural characters (OLITSKY and GATES) 813
Tissue, dextrose in medium (LEWIS) 317

D

**Dermatitis:**
Caterpillar, pathology (FOOT) 737
*Megalopyge opercularis*, pathology (FOOT) 737
**Dextrose:**
Medium for tissue cultures (LEWIS) 317
**Diet:**
Rickets-producing, effect of varying inorganic constituents (PAPPENHEIMER, MCCANN, and ZUCKER) 421
—,— — — organic constituents (PAPPENHEIMER, MCCANN, and ZUCKER) 447
**Dioxide:**
Germanium. *See* Germanium.
**Dissolution:**
Pneumococcus, at varying hydrogen ion concentrations (LORD and NYE) 689
—, effect of bile at varying hydrogen ion concentrations (LORD and NYE) 703
—, — — fresh human serum (LORD and NYE) 689
—,— — previous killing (LORD and NYE) 689
—,— — temperature (LORD and NYE) 689
—, in pneumonic cellular material at varying hydrogen ion concentrations (LORD and NYE) 699
Resistance of organisms to (LORD and NYE) 699
**Diuresis:**
Hemoglobinuria, effect on, of (HAESSLER) 515

E

**Elimination:**
Bilirubin, renal (HAESSLER, ROUS, and BROUN) 533
**Enzyme:**
Fat-splitting, hemolytic action of staphylococcus due to (ORCUTT and HOWE) 409
Protease, pneumonic lung, origin (NYE) 153
**Epithelium:**
Intestine, small, after lethal x-rays (WARREN and WHIPPLE) 213
—, —, sensitive to x-rays (WARREN and WHIPPLE) 187
Renal, resistance to radiation (MCQUARRIE and WHIPPLE) 225
Strain three months old (FISCHER) 367

**Erythrocyte:**
Hemolysis in contact with glass (FENN) 271
**Erythrocythemia:**
Germanium dioxide, source (HAMMETT and NOWREY) 507
**Erythropoiesis:**
Germanium dioxide (HAMMETT and NOWREY) 507
—— (HAMMETT, NOWREY, and MÜLLER) 173
**Etiology:**
Typhus (OLITSKY) 115, 121, 469
**Exudate:**
Pneumonic (NYE) 153

F

**Fat:**
Hemolytic action of staphylococcus due to fat-splitting enzyme (ORCUTT and HOWE) 409
**Fever:**
Typhus. *See* Typhus.
**Fibroblast:**
Antigen, action *in vitro* on (FISCHER) 661
Multiplication, relation of heterogenic serum, age, and (CARREL and EBELING) 17
Strain ten years old (EBELING) 755
**Filtration:**
Typhus-infected tissues, immunizing and toxic agents in filtrates (OLITSKY) 469
Typhus virus (OLITSKY) 121

G

**Gall bladder:**
Absence (MCMASTER) 127
**Gas:**
Analgesia after exposure to war gases (AUER) 97
**Gas**—*Continued:*
Analysis, micro, of bacterial cultures by vaseline tube and syringe method (BROWN) 667
**Germanium:**
Dioxide, erythropoietic action (HAMMETT and NOWREY) 507
—, —— (HAMMETT, NOWREY, and MÜLLER) 173
—, source of erythrocythemia produced by (HAMMETT and NOWREY) 507
**Graft:**
Carcinoma, implanted in subcutaneous tissue previously x-rayed (LIU, STURM, and MURPHY) 487
**Growth:**
-inhibiting action of serum and heat (CARREL and EBELING) 647

H

**Heat:**
Serum, growth-inhibiting action and (CARREL and EBELING) 647
**Hemoglobinuria:**
Diuresis, effect of, on (HAESSLER) 515
**Hemolysis:**
Erythrocytes in contact with glass (FENN) 271
Staphylococcus, due to fat-splitting enzyme (ORCUTT and HOWE) 409
**Hemolytic:**
Streptococcus, invertase (STEVENS and WEST) 823
—, lipase (STEVENS and WEST) 823
—, peptase (STEVENS and WEST) 823
**Hemosiderosis:**
Anemia, pernicious (MCMASTER, ROUS, and LARIMORE) 521

**d'Hérelle phenomenon:**
*See* Twort-d'Hérelle phenomenon.
**Histology:**
Roentgen rays, unit dose, histological changes after (WARREN and WHIPPLE) 203
**Hydrogen ion:**
Concentration, relation of pneumonic lung protease activity (NYE) 153
Concentrations, varying, dissolution of pneumococci at (LORD and NYE) 689
—, —, — of pneumococci in pneumonic cellular material at (LORD and NYE) 699
—, —, effect on dissolution of pneumococci of bile at (LORD and NYE) 703
**Hypophysis:**
Antibody production, relation (CUTLER) 243

I

**Immunity:**
Carcinoma, transplanted, induced by olive oil injection (NAKAHARA) 493
Influenza (OLITSKY and GATES) 1
Typhus-infected tissues, immunizing agent in filtrates (OLITSKY) 469
**Implant:**
Carcinoma graft in subcutaneous tissue previously x-rayed (LIU, STURM, and MURPHY) 487
**Indicator:**
Brom-cresol purple in bacteriological examination of stools (CHESNEY) 181
Phenol red in bacteriological examination of stools (CHESNEY) 181
**Infection:**
Nematode, cutaneous, in monkeys (SWIFT, BOOTS, and MILLER) 599
Typhus-infected tissues, immunizing and toxic agents in filtrates (OLITSKY) 469
**Influenza:**
Secretions, nasopharyngeal, from patients (OLITSKY and GATES) 1, 553, 813
**Influenzæ:**
*Bacillus*, in nose and throat in acute lobar pneumonia (STILLMAN) 7
**Injection:**
Olive oil, immunity to transplanted cancer induced by (NAKAHARA) 493
**Inorganic:**
Rickets-producing diet, effect of varying inorganic constituents (PAPPENHEIMER, MCCANN, and ZUCKER) 421
**Intestine:**
Small, epithelium after lethal x-rays (WARREN and WHIPPLE) 213
—, — sensitive to x-rays (WARREN and WHIPPLE) 187
**Intoxication:**
Roentgen ray (WARREN and WHIPPLE) 187, 203, 213
— —, renal function (MCQUARRIE and WHIPPLE) 225
**Invertase:**
Streptococcus, hemolytic (STEVENS and WEST) 823
**In vitro:**
Fibroblasts, action of antigen (FISCHER) 661
Lymphoid cells, action of serum from x-rayed animals (MURPHY, LIU, and STURM) 373

**Ipecac:**
Blackhead of turkeys treated with (TYZZER and FABYAN) 791

K

**Kidney:**
Bilirubin elimination (HAESSLER, ROUS, and BROUN) 533
Epithelium, resistance to radiation (MCQUARRIE and WHIPPLE) 225
Roentgen ray intoxication, renal function (MCQUARRIE and WHIPPLE) 225

L

**Lipase:**
Streptococcus, hemolytic (STEVENS and WEST) 823
**Lung:**
Pneumonic, organism resembling *Bacillus actinoides* (JONES) 361
—, relation of activity of protease to hydrogen ion concentration (NYE) 153
Ventilation, effect of pulmonary congestion (DRINKER, PEABODY, and BLUMGART) 77
**Lymph:**
Cells, lymphoid, action of serum from x-rayed animals *in vitro* (MURPHY, LIU, and STURM) 373
**Lymphoid tissue:**
*See* Tissue.
**Lysis:**
(GRATIA) 287

M

**Measles:**
(DUVAL and D'AUNOY) 257
Virus (DUVAL and D'AUNOY) 257
**Medium:**
Aerobic culture, survival of typhus virus (OLITSKY) 115
Anaerobic culture, survival of typhus virus (OLITSKY) 115
Dextrose, for tissue cultures (LEWIS) 317
**Megalopyge:**
*opercularis*, pathology of dermatitis (FOOT) 737
**Method:**
Micro gas analysis of bacterial cultures by vaseline tube and syringe (BROWN) 667
**Microbe:**
Variation (GRATIA) 287
**Morphology:**
*Bacterium pneumosintes* (OLITSKY and GATES) 813
**Multiplication:**
Fibroblast, relation of heterogenic serum, age, and (CARREL and EBELING) 17
**Mutation:**
Bacillus of rabbit septicemia (DE KRUIF) 561
— — — —, virulence and (DE KRUIF) 621

N

**Nasopharynx:**
Secretions from influenza patients (OLITSKY and GATES) 1, 553, 813
**Nematode:**
Cutaneous infection in monkeys (SWIFT, BOOTS, and MILLER) 599
**Nose:**
*Bacillus influenzæ* in nose in acute lobar pneumonia (STILLMAN) 7

O

**Obermeieri:**
*Spirochæta*, biology (KLIGLER and ROBERTSON) 303
—, cultivation (KLIGLER and ROBERTSON) 303

**Oil:**
Olive. *See* Olive oil.

**Olive oil:**
Immunity to transplanted cancer induced by injection (NAKAHARA) 493

**Opercularis:**
*Megalopyge*, pathology of dermatitis (FOOT) 737

**Optochin:**
Pneumococcus, action on, of (FELTON and DOUGHERTY) 761

**Organic:**
Rickets-producing diet, effect of varying organic constituents (PAPPENHEIMER, MCCANN, and ZUCKER) 447

**Organism:**
Pneumonic lung, organism resembling *Bacillus actinoides* (JONES) 361
Resistance to dissolution (LORD and NYE) 699

**Oxygen:**
Anoxemia in pneumonia treated in oxygen chamber (STADIE) 337
Pneumonia treatment, chamber for (STADIE) 323

P

**Pallidum:**
*Treponema*, relation to lymphoid tissues in syphilis (PEARCE and BROWN) 39

**Pathology:**
Dermatitis caused by caterpillar (FOOT) 737
— — — *Megalopyge opercularis* (FOOT) 737

**Peptase:**
Streptococcus, hemolytic (STEVENS and WEST) 823

**Phenol red:**
Stool, bacteriological examination (CHESNEY) 181

**Phenomenon:**
d'Hérelle. *See* Phenomenon, Twort-d'Hérelle.
Twort-d'Hérelle (GRATIA) 287

**Plethora:**
(KRUMBHAAR and CHANUTIN) 847

**Pneumococcus:**
(LORD and NYE) 685, 689, 699, 703
Acid death-point (LORD and NYE) 685
Cinchona, action of aromatic derivatives (FELTON and DOUGHERTY) 761
Dissolution at varying hydrogen ion concentrations (LORD and NYE) 689
—, effect of bile at varying hydrogen ion concentrations (LORD and NYE) 703
—, — — fresh human serum (LORD and NYE) 689
—, — — previous killing (LORD and NYE) 689
—, — — temperature (LORD and NYE) 689
— in pneumonic cellular material at varying hydrogen ion concentrations (LORD and NYE) 699
— of pneumococci, effect of previous killing of (LORD and NYE) 689

**Pneumonia:**
Anoxemia treated in oxygen chamber (STADIE) 337
Dissolution of pneumococci in pneumonic cellular material at varying hydrogen ion concen-

**Pneumonia**—*Continued:*
trations (LORD and NYE) 699
Exudate (NYE) 153
Lobar, *Bacillus influenzæ* in nose and throat (STILLMAN) 7
Lung, organism resembling *Bacillus actinoides* (JONES) 361
— protease, relation of activity to hydrogen ion concentration (NYE) 153
Oxygen chamber for treatment (STADIE) 323
**Pneumosintes:**
*Bacterium*, cultural characters (OLITSKY and GATES) 813
—, morphology (OLITSKY and GATES) 813
**Protease:**
Pneumonic lung, relation of activity to hydrogen ion concentration (NYE) 153
**Pulmonary:**
Congestion, effect on ventilation of lungs (DRINKER, PEABODY, and BLUMGART) 77

R

**Reaction:**
Immunity in influenza (OLITSKY and GATES) 1
Serological, in influenza (OLITSKY and GATES) 553
**Recurrentis:**
*Spirochæta. See Spirochæta oebrmeieri.*
**Renal:**
*See* Kidney.
**Resistance:**
Organisms, to dissolution (LORD and NYE) 699
Renal epithelium, to radiation (MCQUARRIE and WHIPPLE) 225
**Rickets:**
(PAPPENHEIMER, MCCANN, and ZUCKER) 421, 447
Diet, effect of varying inorganic constituents (PAPPENHEIMER, MCCANN, and ZUCKER) 421
—, — — — organic constituents (PAPPENHEIMER, MCCANN, and ZUCKER) 447
**Roentgen rays:**
(LIU, STURM, and MURPHY) 487
(MURPHY, LIU, and STURM) 373
(NAKAHARA and MURPHY) 475
Anatomical changes after unit dose (WARREN and WHIPPLE) 203
Autolysis of body tissue after lethal (WARREN and WHIPPLE) 213
Biological action of small doses of low frequency (NAKAHARA and MURPHY) 475
Carcinoma grafts implanted in subcutaneous tissue previously x-rayed (LIU, STURM, and MURPHY) 487
Clinical changes after unit dose (WARREN and WHIPPLE) 203
Histological changes after unit dose (WARREN and WHIPPLE) 203
Intoxication (WARREN and WHIPPLE) 187, 203, 213
—, renal function (MCQUARRIE and WHIPPLE) 225
Renal epithelium, resistance (MCQUARRIE and WHIPPLE) 225
Serum from x-rayed animals, action on lymphoid cells *in vitro* (MURPHY, LIU, and STURM) 373

**Roentgen rays**—*Continued:*
Small intestine epithelium sensitive to (WARREN and WHIPPLE) 187

S

**Secretion:**
Nasopharyngeal, from influenza patients (OLITSKY and GATES) 1, 553, 813
**Sensitization:**
Roentgen ray, of epithelium of small intestine (WARREN and WHIPPLE) 187
**Septicemia:**
Bacillus, rabbit, mutation (DE KRUIF) 561
—, —, — and virulence (DE KRUIF) 621
**Serology:**
Influenza (OLITSKY and GATES) 553
**Serum:**
Growth-inhibiting action, heat and (CARREL and EBELING) 647
Heterogenic, relation to age and multiplication of fibroblasts (CARREL and EBELING) 17
Human, fresh, effect on dissolution of pneumococci (LORD and NYE) 689
Lymphoid cells *in vitro*, action of serum from x-rayed animals (MURPHY, LIU, and STURM) 373
Solutions, action of time on surface tension (DU NOÜY) 707
Surface tension (DU NOÜY) 707
— —, spontaneous decrease (DU NOÜY) 575
**Skin:**
Nematode infection in monkeys (SWIFT, BOOTS, and MILLER) 599
**Solution:**
Serum, action of time on surface tension (DU NOÜY) 707
**Spirochæta:**
*obermeieri*, biology (KLIGLER and ROBERTSON) 303
—, cultivation (KLIGLER and ROBERTSON) 303
*recurrentis*. *See Spirochæta obermeieri.*
**Spirochetosis:**
Venereal (NOGUCHI) 391
**Staphylococcus:**
Hemolytic action due to fat-splitting enzyme (ORCUTT and HOWE) 409
**Stool:**
Bacteriological examination with brom-cresol purple (CHESNEY) 181
— — — phenol red (CHESNEY) 181
**Strain:**
Epithelium, three months old (FISCHER) 367
Fibroblast, ten years old (EBELING) 755
**Streptococcus:**
Hemolytic, invertase (STEVENS and WEST) 823
—, lipase (STEVENS and WEST) 823
—, peptase (STEVENS and WEST) 823
**Subcutaneous:**
Tissue previously x-rayed, cancer grafts implanted in (LIU, STURM, and MURPHY) 487
**Sulfur:**
Blackhead of turkeys treated with (TYZZER and FABYAN) 791
**Syphilis:**
Lymphoid tissues, relation of *Treponema pallidum* (PEARCE and BROWN) 39

T

**Temperature:**
Absorption, influence on, of (GATES) 63
Agglutination, influence on, of (GATES) 63
Cicatrization of wounds, temperature coefficient (EBELING) 657
Intravenous, measurement (CLARK) 385
Pneumococcus dissolution, effect on, of (LORD and NYE) 689

**Tension:**
Surface, of serum (DU NOÜY) 707
—, — — solutions, action of time (DU NOÜY) 707
—, — —, spontaneous decrease (DU NOÜY) 575

**Thorax:**
Roentgen radiation (WARREN and WHIPPLE) 187

**Throat:**
*Bacillus influenzæ* in throat in acute lobar pneumonia (STILLMAN) 7

**Time:**
Surface tension of serum solutions, action of (DU NOÜY) 707

**Tissue:**
Body, autolysis after lethal x-rays (WARREN and WHIPPLE) 213
Cultures, dextrose in medium (LEWIS) 317
Lymphoid (NAKAHARA) 493
—, relation of *Treponema pallidum* in syphilis (PEARCE and BROWN) 39
Subcutaneous, previously x-rayed, cancer grafts implanted in (LIU, STURM, and MURPHY) 487

**Tissue**—*Continued:*
Typhus-infected, immunizing and toxic agents in filtrates (OLITSKY) 469

**Toxicity:**
Typhus-infected tissues, toxic agent in filtrates (OLITSKY) 469

**Transfusion:**
Antibodies (ROBERTSON and ROUS) 141

**Transmission:**
*Bacillus abortus* agglutinins in colostrum (LITTLE and ORCUTT) 161

**Transplantation:**
Carcinoma, immunity induced by olive oil injection (NAKAHARA) 493

**Treponema:**
*pallidum*, relation to lymphoid tissues in syphilis (PEARCE and BROWN) 39

**Turkey:**
Blackhead, source of virus (TYZZER and FABYAN) 791

**Twort-d'Herélle phenomenon:**
(GRATIA) 287

**Typhus:**
Etiology (OLITSKY) 115, 121, 469
Immunizing and toxic agents in filtrates of tissues (OLITSKY) 469

V

**Vaseline:**
Cultures, bacterial, vaseline tube and syringe method of micro gas analysis (BROWN) 667

**Vein:**
Temperature, measurement of intravenous (CLARK) 385

**Venereal:**
Spirochetosis (NOGUCHI) 391
**Ventilation:**
Lung, effect of pulmonary congestion (DRINKER, PEABODY, and BLUMGART) 77
**Virulence:**
Bacillus of rabbit septicemia, mutation and (DE KRUIF) 621
**Virus:**
Blackhead of turkeys, source (TYZZER and FABYAN) 791
Measles (DUVAL and D'AUNOY) 257
**Virus**—*Continued:*
Typhus, survival in aerobic culture media (OLITSKY) 115
—, — — anaerobic culture media (OLITSKY) 115

W

**Wound:**
Cicatrization (EBELING) 657

X

**X-rays:**
*See* Roentgen rays.